

MAS-M2

MOBILE GROUP
ANIMAL SCALE

LEGAL
FOR TRADE



RICE LAKE[®]
WEIGHING SYSTEMS

800-472-6703

www.ricelake.com

Reliable Animal Weighing in All Environments

Built to last even in the toughest conditions, Rice Lake's MAS-M2 is a Legal for Trade livestock scale for weighing multiple animals simultaneously. The scale is designed for transportation between sites and can be easily towed behind a standard vehicle. The PolyCleat® flooring features durable, multi-option lug heights to provide stable traction and ensure safe livestock weighing. Durable weighbridge creates an easy-to-clean, bacteria-resistant design to keep up with your ranch.

Rugged Versatility

The design of the MAS-M2 meets the unpredictable conditions of multisite use. The MAS-M2 can provide Legal for Trade weights in locations where the scale may be off level by as much as 3° (6%).


Easy to Use

The manual lift/lower lever and adjustable independent air-ride suspension ensure simple operation. The scale can be easily lowered to the ground for efficient weighing and quickly transitioned back to transport mode for towing to the next location. Towing or weighing setup can be done in a matter of minutes, streamlining processes.

- Weigh Mode - Low-profile 6-inch gap for easy loading and unloading.
- Transport Mode - 9-inch clearance for towing.


ADJUSTABLE HITCH AND SIDE CRANK JACK

By adjusting the hitch and side crank jack, the scale can be modified to suit different vehicle heights for flexible towing. Detachable swing-away hitch arms create an alleyway.



EASY-TO-CLEAN POLYCLEAT® FLOORING

Durable PolyCleat® flooring features both ¼-lug and ¾-lug designs depending on needs for stability and drainage. Flooring and hold-downs can be easily removed for cleaning and maintenance.




REVERSIBLE GATES AND HIGHER GATE PANELS

Gates prioritize animal and operator comfort and safety by opening from either side, and feature higher walls to keep animals safe inside.




STANDARD TAILLIGHTS

New taillights provide additional visibility while transporting the scale.



SAFETY BAR

The safety bar can be used in emergencies for short towing distance to a repair shop.



Safety bar installed

OPERATOR SHIELD

Helps conceal operator from cattle to keep animals calm.

LOAD CELL TOWERS

Easily transition the scale from weigh mode to transport mode and protect load cells.

15-INCH TIRES

Large tires provide 9 inches of clearance and greater stability for traveling over uneven terrain on dirt roads or ranches.

CONVENIENT BATTERY BOX AND JUNCTION BOX

The battery box includes a large solar panel, compressor, battery and new junction box location.

RUGGED WEIGHBRIDGE

Open design allows thorough cleaning and eliminates material buildup.

QUICK CONNECT

Towing arms can be removed once the scale is transitioned into weigh mode for ease of weighing.



MAS-M2

MOBILE GROUP ANIMAL SCALE

Onboard Weigh Center

The 920i® weigh center is conveniently mounted on the scale's exterior, allowing all transactions to be easily viewed by the operator. Complete with an integrated printer, legal tickets can be printed for accurate record keeping.

The weatherproof enclosure protects electronics for years of trouble-free use. The 920i weigh center is conveniently mounted on the scale's exterior, allowing all transactions to be easily viewed by the operator. It includes multi-animal software to track group weights of cattle. The weigh center is powered by a 12-volt battery, which is charged by a mounted solar panel. The scale's instrumentation provides a complete report for each batch and lot of animals weighed. A USB port allows data to be exported to a spreadsheet.



1/16/2026 10:45AM			
#Hd	Weight	UM	Avg Wt
4	3335	1b	834
7	6670	1b	953
13	13335	1b	1026
24	23340	1b	973 Gross
	22757	1b	948 Net
			2.50% Shrink

Model	Axle Type	Capacity lb/kg	Inside Dimension (Length x Width)	Outside Dimension (Length x Width)	Height (Weigh Mode)
MAS-M2 13ft x 8ft	Single	15,000 lb 6,500 kg	12 ft 4 in x 6 ft 7 in	With Tongue 18 ft 4 in x 8 ft 6 in Without Tongue 13 ft 5 in x 8 ft 6 in	Weigh Mode: 8 ft 3 in Transport Mode: 9 ft 1 in
MAS-M2 18ft x 8ft	Tandem	20,000 lb 9,000 kg	18 ft 1.5 in x 6 ft 7 in	With Tongue 24 ft 2 in x 8 ft 6 in Without Tongue 19 ft 3 in x 8 ft 6 in	Weigh Mode: 8 ft 3 in Transport Mode: 9 ft 1 in



SALES AND TECHNICAL ASSISTANCE

CORPORATE HEADQUARTERS: Rice Lake, Wisconsin, U.S.
USA: 800-472-6703 | Direct: 715-234-9171 | Fax: 715-234-6967

Canada: +1-800-321-6703 | Mexico: +52 81 8356 5062 | Europe: +39 0536 843418 | International Direct: +1-715-234-9171

RICE LAKE
WEIGHING SYSTEMS
www.ricelake.com

Specifications subject to change without notice. © 2026 Rice Lake Weighing Systems PN 233178 en-US 8.26 REV-C