

WM-Micro Wrapper Pre-Installation Site Survey

Date:	RLWS/Ishida Representative:	
Distributor:	End User Customer:	
Address:	Address:	
Store Type:	☐ Chain ☐ Independent ☐ Food Processor ☐ Other: _____	
Products Wrapped:	☐ Meat/Poultry ☐ Seafood ☐ Produce ☐ Cheese ☐ Other: _____	
Tray Size/% product	☐ 1S _____% ☐ 2 _____% ☐ 2S _____% ☐ 4 _____% ☐ 4S _____% ☐ 4D _____% ☐ 4P _____% ☐ 7S _____% ☐ 8S _____% ☐ 8D/P _____% ☐ 9L/H _____% ☐ 10S _____% ☐ 10K _____% ☐ 12S _____% ☐ 16S _____% ☐ 17S _____% ☐ 20S _____% ☐ 20K _____% ☐ 25P/S _____% ☐ 42 _____% ☐ 10x14 _____% ☐ Other: _____%	
Film Size(s):	☐ 400mm / 15.8" (p/n 181916) ☐ 500mm / 19.7" (p/n 170110) ☐ 450mm / 17.7" (p/n 187821) ☐ 550mm / 21.7" (p/n 203761)	
Refer to Page 2 for Suggested Film Sizes		
Communications Type:	☐ Ethernet-Wired ☐ Ethernet-Wireless (p/n 121076) ☐ None	
Scale Management Software:	☐ SLP-5 version 2.64 (or higher) ☐ ePLUM ☐ InterScale ☐ None ☐ Other: _____	
PLU File Supplied:	☐ ASCII Text File ☐ Hardcopy ☐ Both (preferred) ☐ Other: _____	
Minimum Room Temperature:	_____ °F ☐ °C (Minimum: 41°F / 50°F Recommended)	
Packages per Day:	_____ (Maximum: 900/day average)	
Minimum Door Width:	_____ inches ☐ cm (Minimum: 36" / 48" Standard)	
Typical Hours of Wrapper Operation:	_____ AM ☐ PM to _____ AM ☐ PM	
Weight Range of Pkg:	_____ to _____ lb ☐ kg (Maximum: 7.7 lb / 3.5 kg)	
Maximum Package Height:	_____ inch ☐ cm (Maximum: 5.1 inch)	
Maximum Package Size:	_____ Tray _____ Height (Maximum height: 5.1 inch)	
Options:	☐ Film Roll Cover (p/n 226175) ☐ Linerless Label (Machine p/n 226173) ☐ Option, Internal Wireless, 2.4GHz/5GHz (p/n 226174) ☐ Wash Down Cover ☐ Tall (p/n 125417) ☐ Short (p/n 121077) ☐ POP Label Dispenser (p/n 125578)	
Wrapper Placement:	☐ Option, Wrapper Stand (p/n 121076) **RECOMMENDED** ☐ Customer Supplied (min limit of 400lb, 25-29" overall height)	
Countertop Scales Used:	☐ Ishida ☐ Hobart ☐ Toledo ☐ Digi ☐ TEC ☐ Berkel ☐ Bizerba ☐ CAS ☐ Other: _____	
Model(s):	_____	
Label Type:	☐ Cont. Strip ☐ Standard (Stock) ☐ Pre-Printed SH ☐ Linerless (p/n 226173)	
Size:	_____ mm Long x _____ mm Wide (Maximum: 80mm x 105mm*) (Linerless Label Maximum: 80mm x 200mm)	
*Label Support Guide may be required for 105mm or longer. Consult with RLWS for more information		
Voltage (1-Phase AC):	☐ 200V ☐ 208V ☐ 220V ☐ 230V ☐ 240V	
20A Circuit:	☐ Dedicated ☐ Shared with: _____ ☐ Unknown	
Equipment Replaced:	☐ Hand Wrap Station ☐ Semi-Automatic Wrapper ☐ Automatic Wrapper ☐ New Installation	
Make/Model of Replaced Equipment:	_____	
Frequent Shopper	☐ Yes ☐ No	

WM-Micro Wrapper Pre-Installation Site Survey

Miscellaneous Comments:

Tray	Dimensions	Suggested Film Size (mm)**:	400mm	450mm	500mm	550mm
1.5	8.3" x 5.8" x 1.0"					
2	8.3" x 5.8" x 1.0"					
2S	8.3" x 5.8" x 0.5"					
4S	9.3" x 7.3" x 0.5"					
4D, 4H, 4P	9.3" x 7.3" x 1.1"					
7S	14.6" x 5.6" x 0.7"					
8S	10.3" x 8.3" x 0.5"					
8D, 8H, 8P	10.3" x 8.3" x 1.0"					
10S	10.8" x 5.8" x 0.5"					
10K	10.6" x 6.9" x 2.2"					
11P	11.5" x 7.1" x 1.2"					
12S	11.3" x 9.3" x 0.5"					
16S	12.3" x 7.3" x 0.5"					
17S	8.3" x 4.5" x 0.5"					
20S	8.5" x 6.5" x 0.5"					
25P	14.8" x 8.0" x 1.4"					
26D	13.6" x 8.0" x 1.3"					



*Trays vary by manufacturer. Verify the tray dimensions prior to selecting the film sizes for the Ishida WM-Micro.

****Suggested Film Size** is based on one-inch product height. Higher product may require larger film. Be mindful that film stretch varies by thickness (gauge), manufacturer, and room temperature.

Ishida WM-Micro min. film size: **400mm (16")**, max. film size: **550mm (22")**

Wrapping Size: Width: 5.9 - 15.0 inch
 Length: 5.0 – 9.6 inch
 Max Height: 5.1 inch (2.75" for the 25SH)
 Tray Height: 1.8 inch

WM-Micro Wrapper Pre-Installation Site Survey

Please sketch the Meat Room Layout. Include WM-Micro and all peripheral equipment.

- WM-Micro: 28" wide x 34" deep [2' 4" x 2' 10"] (Clearance: 18", each side)

Scale: 1 square = 1 foot

A full page of blank graph paper with a uniform grid of small squares. The grid consists of 20 columns and 20 rows, creating a total of 400 small square units. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.